
Tarrant County Public Health Division of Epidemiology and Health Information

Tarrant County Influenza Surveillance Weekly Report CDC Week 43: October 23–October 29, 2022




NOTE: The COVID-19 outbreak unfolding in the United States may affect healthcare seeking behavior which in turn would impact ILI data.

Respiratory Virus Activity Summary

- The percentage of reported influenza-like illness (ILI) in Tarrant County increased from 6.6% in week 42 to 8.6% in week 43 and is currently above the 2022-2023 Tarrant County baseline (5.9%).
- The percentage of all cause school absenteeism was 7.0% during week 43 in Tarrant County. Absenteeism due to ILI and school nurse office visits due to ILI were 7.0% and 4.6% respectively during week 43 in Tarrant County.
- The percentage of flu test positives in Tarrant County increased from 6.2% in Week 42 to 10.6% in Week 43.
- Based on data from the Electronic Surveillance System for the Early Notification of Community -based Epidemics, the percentage of patients hospitalized following ER visits who were diagnosed with influenza was 0.8% in week 43.
- During the 2022-2023 influenza season, as of Week 43, 0 Tarrant County influenza-associated pediatric deaths have been reported. As of Week 42 0 influenza-associated pediatric deaths have been reported in Texas, with a total of 1 reported in the United States for 2022-2023.
- During the 2022-2023 influenza season, 0 influenza outbreaks have been reported in Tarrant County within institutions in Tarrant County.
- Since last report, 20 surveillance specimens were tested. Cumulatively this season, the North Texas Regional Laboratory at Tarrant County Public Health has tested 78 surveillance specimens and of these, 18 have been positive for influenza and 8 have been positive for SARS -CoV-2.
- In Texas during Week 42 the proportion of outpatient visits for ILI, 5.2%, was above the state baseline of 4.6%.
- Nationally during Week 42, 6.2% of specimens tested and reported to the CDC were positive for influenza. The proportion of outpatient visits for ILI (3.3%) was above the national baseline (2.5%). The proportion of deaths in Week 42 attributed to pneumonia, influenza, and COVID-19 from the National Center for Health Statistics (9.2%) was above the epidemic threshold (5.9%).


Influenza Like Illness (ILI) and COVID-19 Like Illness (CLI)



COVID-19-like illness is defined as visits with a mention of Fever AND (Cough OR Shortness of Breath OR Difficulty Breathing) AND NOT (Influenza Diagnosis). These counts do not reflect confirmed diagnosis of COVID-19.

NOTE: Tarrant County ILI and CLI activity are assessed using information available from the Electronic Surveillance System for the Early Notification of Community-based Epidemics (ESSENCE). ILI and CLI visits are determined by identifying key terms and codes within the chief complaint field (i.e. the patients stated reason for visit), and diagnosis code field (i.e. ICD-9-CM and ICD-10-CM codes).

Influenza Like Illness (ILI)



In Week 43, 8.6% of visits to health care providers were due to ILI. ILI levels are currently above the county established baseline of 5.9% and are higher than the state of Texas levels from the week prior.

School Absenteeism Graph 4. Absenteeism and ILI, Tarrant County 8.0% 7.0% 6.0% 5.0% 4.0% 3.0% 2.0% 1.0% 0.0% 38 39 40 41 42 43 **CDC Week** Average Daily % Absent Average Daily % Absent due to ILI Average Daily % ILI School Nurse Visits

The percentage of all cause school absenteeism was 7.0% during week 43 in Tarrant County. Absenteeism due to ILI and school nurse office visits due to ILI were 7.0% and 4.6% respectively during week 43 in Tarrant County.

Influenza Test Results

Table 1. Influenza Test Results, Tarrant County

CDC Week Number	41	42	43
# Influenza Tests Performed	3924	3750	4533
% Influenza Positive	4.4%	6.2%	10.6%
# Influenza A Positive	127	173	445
% Influenza A Positive	73.8%	74.2%	92.3%
# Influenza B Positive	45	60	37
% Influenza B Positive	26.2%	25.8%	7.7%
# Non-differentiated Positive	0	0	0
% Non-differentiated Positive	0.0%	0.0%	0.0%

NOTE: Tarrant County influenza test results are reported weekly by influenza surveillance participants. For CDC Week 43, rapid influenza test results were reported by 08 hospitals and 01 university.


	Current Week	2022-2023 Season
Number of Specimens Tested	20	78
Positive Specimens	16 (80.0%)	26 (33.3%)
Influenza A	14 (87.5%)	18 (69.2%)
Influenza A H1	5 (35.7%)	5 (27.8%)
Influenza A H3	9 (64.3%)	13 (72.2%)
Influenza A, Inconclusive subtype	0 (0.0%)	0 (0.0%)
Influenza A, Unsubtypeable ²	0 (0.0%)	0 (0.0%)
Influenza B	0 (0.0%)	0 (0.0%)
Influenza B Yamagata ³	-	-
Influenza B Victoria ³	-	-
Influenza B, Inconclusive	-	-
SARS-CoV-2 ⁴	2 (12.5%)	8 (30.8%)
Inconclusive ⁵	0	0


Table 2. North Texas Regional Laboratory: Respiratory Virus Results¹

¹ Laboratory results based on real-time PCR analysis; information is for the 2020-2021 season. ² Influenza A subtype not determined; further analysis pending

³ Influenza B genotyping is only included in current week column if genotyping occurred in the same week as original PCR testing.


⁴ Specimens that contain influenza co-infections with SARS-CoV-2 are not included in the SARS-CoV-2





Since last report, 20 surveillance specimens were tested for influenza and SARS-CoV-2. Percent positivity for week 43 was 80.0% with 9 testing positive for Influenza A H3, 5 testing positive for Influenza A H1, 0 testing positive for Influenza B, and 2 testing positive for SARS-CoV-2.


Tarrant County NREVSS Test Results



The National Respiratory and Enteric Virus Surveillance System (NREVSS) is a laboratory-based system that monitors temporal and geographic circulation patterns (patterns occurring in time and place) of respiratory syncytial virus (RSV), human parainfluenza viruses (HPIV), human metapneumovirus (HMPV), respiratory adenoviruses, human coronavirus, rotavirus, and norovirus. In this surveillance system, participating U.S. laboratories voluntarily report weekly to CDC the total number of weekly aggregate tests performed to detect these viruses, and the weekly aggregate positive tests.


NOTE: Enteric viruses are not included in the TCPH Influenza report. Parainfluenza II has been omitted due to infrequent incidence.

Tarrant County NREVSS Test Results



The National Respiratory and Enteric Virus Surveillance System (NREVSS) is a laboratory-based system that monitors temporal and geographic circulation patterns (patterns occurring in time and place) of respiratory syncytial virus (RSV), human parainfluenza viruses (HPIV), human metapneumovirus (HMPV), respiratory adenoviruses, human coronavirus, rotavirus, and norovirus. In this surveillance system, participating U.S. laboratories voluntarily report weekly to CDC the total number of weekly aggregate tests performed to detect these viruses, and the weekly aggregate positive tests.

NOTE: Enteric viruses are not included in the TCPH Influenza report. Parainfluenza II has been omitted due to infrequent incidence.



The Tarrant County Influenza Surveillance Weekly Report is available on the Tarrant County Public Health web site at:


flu.tarrantcounty.com

If you have questions or comments regarding influenza surveillance, please contact:

Nuri Hamby, MPH Influenza Surveillance Specialist NJHamby@tarrantcounty.com

Tarrant County Public Health Influenza Surveillance Epidemiology and Health Information

1101 South Main Street, Suite 2200 Fort Worth, TX 76104



Veerinder (Vinny) Taneja, MBBS; MPH *Director, Tarrant County Public Health*

NOTE:

Influenza-like Illness (ILI) is defined as fever (temperature \geq 100°F) plus a cough OR a sore throat, in the absence of a known cause other than influenza.

Tarrant County reporting quadrants consist of Northwest, Northeast, Southwest and Southeast regions within the boundaries of Interstate 35 and Interstate 30.

Tarrant County ILI baselines were determined using a similar method as the Centers for Disease Control Prevention Regional ILI baselines and Texas Department of State Health Services Texas baseline. Regional ILI baselines are determined by the Centers for Disease Control and Prevention and can be accessed at http://www.cdc.gov/flu/weekly/overview.htm

Additional information regarding Tarrant County, Texas and national ILI activity can be accessed at

flu.tarrantcounty.com

https://www.dshs.texas.gov/IDCU/disease/influenza/surveillance/2022-2023-Texas-Influenza-Surveillance-Activity/

http://www.cdc.gov/flu/weekly/

Russ Jones, MPH Division Manager & Chief Epidemiologist Epidemiology and Health Information Tarrant County Public Health

Main Epidemiology Division Number : (817) 321-5350 Disease Reporting Fax Number: (817) 850-2366